


TVS 90RC COMBINED RUNWAY SWEEPER






CAN BUS CONTROL UNIT



VACUUM FAN UNIT



DIESEL POWER UNIT




REAR VACUUM AND SWEEPING UNIT




ROAD TYPE SWEEPING UNIT



HIGH PRESSURE WASHING UNIT



HIGH PRESSURE WASHING AND VACUUM UNIT



RUNWAY TYPE SWEEPING UNIT



SIDE SWEEPING UNIT

TECHNICAL SPECIFICATIONS

FOR INFORMATION PURPOSES, THE VALUES GIVEN MAY CHANGE

WASTE HOPPER GROSS VOLUME	9 m ³
WASTE HOPPER NET VOLUME	8,2 m ³
CLEAN WATER TANK NET VOLUME	2.000 L
NUMBER OF WATER NOZZLES IN THE SYSTEM	15 Pieces
CENTER BRUSH	Ø400 mm x 2300 mm
SIDE BRUSHES	Ø 900 mm
SWEEPING WIDTH	Min. 3500 mm
SIDE BRUSH SPEED	120 rpm
CENTER BRUSH SPEED	600 rpm
SWEEPING SPEED	0-40 km/h
SIDE SUCTION HOSE	Ø250 mm
REAR SUCTION HOSE	Ø150 mm x 3000 mm
HYDRAULIC OIL TANK CAPACITY	230 L
WATER PUMP	30 L / min.
HIGH PRESSURE WASHER PUMP PRESSURE	100 bar
HIGH PRESSURE WASHER PUMP CAPACITY	150 L / min.
HOPPER TILT ANGLE	52°
FAN CAPACITY	30.000 m ³ / h
AUXILIARY ENGINE	205 kW (278 hp)



MAGNETIC METAL COLLECTOR



REAR VACUUM UNIT